

Message

From: Peterson, Mary [Peterson.Mary@epa.gov]
Sent: 11/25/2019 3:46:15 PM
To: Wilson, Karl [Wilson.Karl@epa.gov]; Hovis, Jennifer [Hovis.Jennifer@epa.gov]; Ammon, Doug [Ammon.Doug@epa.gov]
CC: Juett, Lynn [Juett.Lynn@epa.gov]; Fisher, Susan [Fisher.Susan@epa.gov]
Subject: RE: Congressional regarding Vogel Paint

Thanks Karl. We will get the letter into concurrence.

BTW – Our Congressional liaison says the letter is ok to be addressed to the company – we will send a copy to the Senator's office.

From: Wilson, Karl <Wilson.Karl@epa.gov>
Sent: Monday, November 25, 2019 8:52 AM
To: Peterson, Mary <Peterson.Mary@epa.gov>; Hovis, Jennifer <Hovis.Jennifer@epa.gov>; Ammon, Doug <Ammon.Doug@epa.gov>
Cc: Juett, Lynn <Juett.Lynn@epa.gov>; Fisher, Susan <Fisher.Susan@epa.gov>
Subject: RE: Congressional regarding Vogel Paint

Hi Mary,

The content of the draft response letter looks great! It really sets the tone that the EPA is eager to collaborate with all key stakeholders yet stand firm behind our core principles/mission. Please see my minor comment/suggestion in the attached document.

Thanks.

-Karl

From: Peterson, Mary <Peterson.Mary@epa.gov>
Sent: Monday, November 25, 2019 8:27 AM
To: Hovis, Jennifer <Hovis.Jennifer@epa.gov>; Ammon, Doug <Ammon.Doug@epa.gov>; Wilson, Karl <Wilson.Karl@epa.gov>
Cc: Juett, Lynn <Juett.Lynn@epa.gov>; Fisher, Susan <Fisher.Susan@epa.gov>
Subject: RE: Congressional regarding Vogel Paint

Good call – I will check with our Congressional liaison as you suggest. I think we could easily modify the letter to the Senator, and then send a separate letter to Vogel with a copy of our letter to the Senator.

From: Hovis, Jennifer <Hovis.Jennifer@epa.gov>
Sent: Monday, November 25, 2019 7:08 AM
To: Peterson, Mary <Peterson.Mary@epa.gov>; Ammon, Doug <Ammon.Doug@epa.gov>; Wilson, Karl <Wilson.Karl@epa.gov>
Cc: Juett, Lynn <Juett.Lynn@epa.gov>; Fisher, Susan <Fisher.Susan@epa.gov>
Subject: RE: Congressional regarding Vogel Paint

Thanks for sharing the draft, Mary. I'll be sure to get any comments in there today. But I did want to mention the approach to the response – it seems to me that we need to respond to the Senator as the control, not the company. Obviously a letter to the company also makes sense, but I don't think it's the task at hand. I agree that it isn't really clear

I suggest reaching out to your congressional liaison to confirm, so that we don't go too far down a road and have to pivot with the holiday and whatnot.

Chief, Construction & Post Construction Management Branch (CPCMB)
Office of Superfund Remediation & Technology Innovation (OSRTI)
desk: 703.603.8888 | cell: 571.814.0303 | hovis.jennifer@epa.gov

Thanks,
Jared

Jared Pessetto
Special Assistant
Office of the Regional Administrator
U.S. EPA, Region 7
(913) 551-7793
pessetto.jared@epa.gov

From: Juett, Lynn <Juett.Lynn@epa.gov>
Sent: Friday, November 15, 2019 10:15 AM
To: Pessetto, Jared <Pessetto.Jared@epa.gov>
Subject: FW: Congressional regarding Vogel Paint

Thank You,

Lynn M Juett

Chief, Remediation Branch
Superfund and Emergency Management Division
US EPA Region 7
11201 Renner Blvd, Lenexa, KS 66219
913-551-7883 (desk)
913-948-1129 (cell)
Juett.Lynn@epa.gov

From: Juett, Lynn
Sent: Friday, November 15, 2019 9:39 AM
To: Garufi, Katherine <Garufi.Katherine@epa.gov>; Hovis, Jennifer <Hovis.Jennifer@epa.gov>; Wilson, Karl <Wilson.Karl@epa.gov>; Ammon, Doug (<Ammon.Doug@epa.gov> <Ammon.Doug@epa.gov>; Fisher, Susan <Fisher.Susan@epa.gov>
Cc: Mehta, Sandeep <mehta.sandeep@epa.gov>
Subject: FW: Congressional regarding Vogel Paint

All – I wanted to share with you the attached congressional inquiry regarding the Vogel Paint site in Orange City, IA. Region 7 would like to have a discussion with you next week to discuss a few of the technical/policy aspects brought up in the inquiry – specifically EPA's policy/practices on sharing draft Five Year Review Reports with PRPs and then of course the groundwater point of compliance issue.

I will send a separate email with a link to the latest Five Year Review for Vogel Paint which is referenced frequently in the inquiry. In that email I will also attach files of the GW ROD and ESDs.

Thank You,

Lynn M Juett

Chief, Remediation Branch
Superfund and Emergency Management Division
US EPA Region 7
11201 Renner Blvd, Lenexa, KS 66219

913-551-7883 (desk)

913-948-1129 (cell)

Juett.lynn@epa.gov

From: Hays, Marilyn <hays.marilyn@epa.gov>

Sent: Thursday, November 14, 2019 4:26 PM

To: Juett, Lynn <Juett.Lynn@epa.gov>

Cc: Nelson, Jonathan <nelson.jonathan@epa.gov>

Subject: Congressional regarding Vogel Paint